



Pre Engineered Railings

 **RINOX[®]**
Engineered in Germany

ROYALE

RAILING SYSTEM

The Royale design is a luxurious and elegant option for your railing needs. It features aluminum channel that is either side mounted or top mounted to the floor creating a sleek and seamless look. The aluminum channel is made of high-quality aluminum anodized and powder coated to resist corrosion and rust. The aluminum channel can hold tempered glass panels or laminated glass panels as infill, creating a transparent and modern appearance.





ROYALE RAILING SYSTEM

TECHNICAL DATA	TYPE/SHAPE	MATERIAL	FINISH	STANDARD SPACING / SIZE IN mm (Inch)
SHOE	Top/Fascia Mount	6063-T6 Aluminium	Natural/Anodized	Continuous
INFILL OPTIONS	Glass	Glass	Clear	12.76 - 27 mm (1/2" - 1 1/16") laminated glass
	Glass Bracket	304 or 316 stainless steel	#4, #6 Satin or #8 Mirror	1220 mm (4') On Center - Standard
TOP RAIL / HAND RAIL	Round or Square Tube	304 or 316 stainless steel	#4, #6 Satin or #8 Mirror	Dia. 48.3 / 38.1 mm (1 7/8" - 1 1/2") - Standard Sq. 40x40 mm (1 5/8" x 1 5/8") - Standard
	Round or Square U-Tube			Dia. 42.4 mm (1 7/8") - Standard Sq. 40x40 mm (1 5/8" x 1 5/8") - Standard
	Top U-Cap		#4, #6 Satin	25 - 38 mm (1" - 1 1/2") High


Note: Standards specifies customization or other sizes are also available for that option.

STANDARD LINE DIAGRAM



ROYALE RAILING SYSTEM**INFILL OPTION : GLASS WITH BRACKET****MOUNT TYPE : TOP**


This mounting option consists of aluminium channel that is top mounted to the floor or the wall, creating a stylish and refined appearance. The aluminium channel is attached to the floor or the wall using visible fasteners, creating a contrast and texture. This option is ideal for those who want a high-end and sturdy railing system that can add a touch of class to any space.

ROYALE RAILING SYSTEM**INFILL OPTION : GLASS WITH BRACKET****MOUNT TYPE : SIDE**



This mounting option consists of aluminium channel that is side mounted to the floor or the wall, creating a minimalist and sophisticated appearance. The aluminium channel is attached to the floor or the wall using concealed fasteners, creating a smooth and clean finish. This option is ideal for those who want a low-profile and durable railing system that can enhance the beauty and value of any space.

TOP RAIL ATTACHMENTS


ROUND TUBE




SQUARE TUBE



ROUND U TUBE





SQUARE U TUBE





BASE ATTACHMENTS

TOP MOUNT



FASCIA MOUNT



RINOX ENGINEERING

2, Giaspura Road, Dhandari Kalan, Ludhiana, Punjab India - 141010



|  +91-76008-20000



| sales@rinox.in



| www.RailingFactory.com | www.rinox.in

